







### MEFERI

MEFERI's ME74 Connect, the Intelligent Shopper Assistant: Revolutionizing Retail Shopper Journey with Al-Powered Security. Refer to ME74 Mobile Shopper Solution for more information: www.meferi.com/products/mobilecomputers /handheld/me74

# ME74 Ultra-Rugged Mobile Computer

Cold-Chain Ready Mobile Computer. Elevating Ultra-Rugged Enterprise Mobility - Embark on a Journey of Advanced Protection, Speed, and Remarkable Versatility to Confront the Future's Demands.

MEFERI ME74, the pinnacle of ultra-rugged enterprise mobility. At its core, the Qualcomm Premium CPU and Android 13 with AER accreditation ensure superior security and reliability. The vibrant 4.3-inch touchscreen responds flawlessly to wet or gloved hands, while Zebra and Honeywell scanning modules guarantee accurate barcode scanning. With vast memory and the latest Wi-Fi 6/6E, connectivity and data handling are seamless. The ultra-protective casing, IP68 rating, and shock-resistant components withstand extreme conditions, from -30C temperatures to high impacts. The 6 Pogo pin system simplifies charging, and BT5.2 ensures efficient connections. Dual cameras (Front: 8MP; Rear: 13MP) enhance data collection versatility. The battery's Hot Swap feature prevents interruptions, and three removable keyboards cater to various needs. The ME74 epitomizes the ultimate in ultra-rugged enterprise solutions.

### **FEATURES AND BENEFITS**

### **Expansive Memory Capabilities**

Armed with a prodigious memory, the ME74 stands prepared for any task, storing and processing data at lightning speeds. Whether you're dealing with mammoth-sized files or multitasking between diverse applications, the device manages all with sublime ease, ensuring zero slowdowns. Say goodbye to the frustrations of lag and embrace an era where data access feels as swift as thought.

### Operate Anywhere: From Freezing Zones to Tropical Climates

Built for extreme conditions, the ME74 can operate smoothly in temperatures as low as -30°C. Whether you're in a frozen warehouse or the sweltering outdoors, this device promises unwavering performance. It's more than a device; it's a commitment to operational excellence, no matter where you are.

### **Endurance Excellence with 6 Pogo Pin Charging**

The ME74 introduces a revolution in charging with its durable 6 Pogo pins. Unlike traditional USB connectors that wear out, these pins guarantee longevity, ensuring your device remains charged and ready for action. Embrace a future where charging is efficient, long-lasting, and reliable.

### Unyielding Ultra-Rugged Design for the Toughest Environments

Step into the future with ME74's exceptional 4.3 touch screen, designed to offer clarity like never before. With impeccable responsiveness, whether you're working with wet hands or using gloves, the device responds with pinpoint accuracy. Its vibrant display breathes life into visuals when working with apps and OS, making tasks not just a routine but a visual treat.

### **Dual Camera Marvel: Front 8MP & Rear 13MP**

Harness the power of visuals with ME74's two impeccable cameras. Whether you're photographing products, documenting shipments, or capturing crucial moments, the device's cameras ensure every detail is captured with precision. In a world where every image matters, make sure yours stands out.

### **Battery Brilliance with Hot Swap**

The ME74 mobile computer features two battery options: a 5200mAh standard battery with EnergyBooster+ for 20 hours of work, and a 6000mAh optional battery for over 24 hours. The Hot Swap function, backed by a 10F supercapacitor, keeps the device running for 10 minutes during battery changes, preserving data and settings without rebooting. This ensures seamless transitions and uninterrupted productivity. The ME74's battery system is a cornerstone of efficiency and reliability.



### **MEFERI's OmniSoftware Suite**

Enhance your ME74 with MEFERI's OmniSoftware Suite. GuardForce Android ensures top security with frequent updates and Google patches. The suite includes tools for customizing the scanner, modifying Android settings, and optimizing tasks. OmniSoftware combines protection and user-friendliness, ensuring your ME74 is secure and efficient.

### Shadowalk MDM/EMM Integration

The ME74 integrates with Shadowalk MDM/EMM for comprehensive management and diagnostics of Android devices with GMS. MEFERI MDM/EMM provides OTA OS updates, app installations, device monitoring, remote assistance, policy enforcement, and usage statistics. It supports informed equipment decisions, staff performance assessment, and resource optimization. Launch MDM/EMM onpremise or in the cloud for security and organizational excellence.

### SALES/REFERENCE MATERIALS

Partner Portal: www.portal.meferi.com

Product Home: www.meferi.com/me74

Technical Support: https://support.meferi.com/login

MEFERI Solution: www.meferi.com/solutions

MEFERI Software Suite: www.meferi.com/en/us/products/software

Accessories: www.meferi.com/products/accessories

## **Precision Scanning: Superior Barcode Recognition**

The ME74 boasts state-of-the-art scanning modules from industry giants, Zebra and Honeywell. Whether you're scanning from an angle, a distance, or dealing with worn-out barcodes, these modules promise accuracy. The long-range scanning module, capable of reading barcodes up to 20 meters away, is a game-changer for high-shelf warehouse operations. Step into an age where every scan counts.

### **BT5.2: Connectivity Redefined**

ME74's BT5.2 ensures that your device communicates with peripherals, such as mobile printers and headsets, with unmatched efficiency. With reduced power consumption and faster data transfer, enjoy seamless interactions and operations. Step into a world where connectivity knows no bounds.

### Cold Chain Resilience

The ME74 mobile computer excels in cold chain management, with a heated scanner exit window and a 5200mAh cold storage battery for performance down to -22°F (-30°C). Its sensors and heaters prevent condensation, protecting the device during temperature shifts. With an IP68 rating and an operational range up to 140°F (60°C), it resists water, dust, and extreme temperatures. The ME74 is a reliable asset in the coldest parts of your workflow.

### Three Removable Keyboards for Tailored Usage

The ME74 revolutionizes device input with three distinct, removable keyboards. Whether your tasks demand QWERTY configurations or a simple numeric pad, switching is a breeze. Unlike competitors that demand device replacement, ME74 offers versatility at your fingertips. Adaptability has a new name, and it's ME74.



# **FEATURES**

Features	MEFERI ME74	POINT MOBILE PM351	POINT MOBILE PM451	POINT MOBILE PM560	Newland N7 (-V3)	Honeywell CK65	Zebra MC33ax	UROVO RT40	Datalogic SKORPIO X5	M3 Mobile UL20W/UL20X/ UL20F	CipherLab RK95	Unitech HT730	iDATA K8	Zebra MC9300	Honeywell CN80/CK8x
Platform															
os	Android 13 (GMS & AER) Upgradeable to Android 18	Android 11 upgradable to Android 14	Android 9 or 11 upgradeable to Android 14	Android 9 or 11 upgradeable to Android 14	Android 10	Android 9 upgradable to Android 13	Android 12 upgradable to Android 14	Android 10	Android 10 Upgradeable to Android 12	Android 8.1	Android 9 Upgradeable to Android 12	Android 10	Android 12	Android 8.1	Android 7.1 Upgradeable to Android 13
Processor	Qualcomm QCM4490, octa-core, 2.4GHz	Qualcomm octa- core, 2.0GHz	Qualcomm SDA660, octa core, 2.2GHz	Qualcomm octa- core, 2.0GHz	Qualcomm octa core, 1.8GHz	Qualcomm Snapdragon octa-core, 2.2GHz	Qualcomm Snapdragon 660, octa-core, 2.2GHz	Qualcomm octa- core, 1.8GHz	Qualcomm SDA660 System- on-Chip, 2.3GHz	Octa-core, 2.0GHz	Octa-core, 2.2GHz	Qualcomm SM7125, octa- core, 2.3GHz	Octa-core 2.0GHz	Qualcomm SD660 octa-core, 2.2GHz	Qualcomm SD660, octa-core, 2.2GHz
Memory	4+64GB Max support up to 512GB	3+32GB 4+64GB	4+64GB	4+64GB	3+32GB 4+64GB	2+32GB	4+32GB	3+32GB	3+32GB 4+64GB	4+32GB	4+64GB	4+64GB	4+64GB	4+32GB	3/4+32GB
Physical Characteristics															
Dimensions	220.2 x 81.4 x 29.6 mm 8.67 x 3.2 x 1.17 in	200 x 70 x 36 mm 7.87 x 2.76 x 1.44 in	215 x 77 x 39 mm 8.46 x 3.04 x 1.55 in	204 x 79 x 175 mm 8.05 x 3.11 x 6.89 in	200 x 70 x 29 mm 7.87 x 2.76 x 1.14 in	227 x 83 x 42 mm 8.9 x 3.3 x 1.7 in	202.2 x 74.7 x 34.5 mm 7.96 x 2.94 x 1.35 in	199 x 58 x 29 mm 78.34 x 22.83 x 11.41 in	218 x 78.5 x 31 mm 8.58 x 3.09 x 1.22 in	244.7 x 88.7 x 46.2 mm 9.64 x 3.49 x 1.82 in	216 x 80 x 30 mm 8.50 x 3.15 x 1.18 in	195 x 72 x 34 mm 7.68 x 2.83 x 1.34 in	205 x 76 x 31mm 8.07 x 2.99 x 1.22 in	240 x 88 x 189 mm 9.45 x 3.46 x 7.44 in	204 x 78 x 33 mm 8.03 x 3.07 x 1.30 in
Weight	16.58 oz / 470 g	11.2 oz / 320 g	15.87oz / 450 g	21.2 oz / 602 g	12.7 oz / 360 g	17.6 oz / 498 g	16.7 oz / 474 g	14.99 oz / 425 g	17.2 oz / 488 g	20.46 oz / 580 g	Standard: 15.34 oz / 435 g Cold version: 18.34 oz / 520 g	13.93 oz / 395 g	Standard: 15.52 oz / 440 g Cold version: 16.15 oz / 458 g	26.9 oz / 765 g	17.6 oz / 500 g
Display	4.3 in Multi-mode capacitive touch; wet hand operation; glove operation; screen sinks to prevent damage	4.0 in	4.3 in	4.3 in	4.0 in	4.0 in	4.0 in	4.0 in	4.3 in	5.0 in	4.3 in	4.0 in	4.0 in	4.3 in	4.2 in
Display Protection	Corning Gorilla Glass III, 1.1 mm thickness. The tough and durable glass that provides exceptional scratch resistance and protection against impacts	Multi-touch capacitive Dragontrail glass	Corning Gorilla Glass	Corning Gorilla Glass	Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass	Corning Gorilla Glass
SIM options	Standard: nano SIM x1 + eSIM x1 Option : nano SIM x1	No	1 Micro SIM slot	No	Nano+Nano or Nano+TF	N/A	N/A	Nano SIM*2, PSAM/ SIM*1 (self-adaption)	No	2 SIM Slot	No	Nano SIM x 2	GSM version: Dual Nano SIM card Cold version: No SIM, Not Supported	No	nano SIM x1
Keypads	Three removable keyboards for ME74:  • QWERTY 39 keys (numeric buttons in the middle)  • QWERTY 39 keys (numeric buttons at the bottom)  • NUMERIC 31 keys Replaceable without replacing the device	Choice of two keypads	Choice of three keypads	Alphanumeric: 47 keys	29, 38 or 47 physical buttons	51-key alpha or 38-key or 30-key numeric keypad, plus two programmable side buttons	Numeric (29 key), Function Numeric (38 key), Alpha Numeric (47 key)	38 keys isolation keyboard	47-key alphanumeric, 38-key function numeric, 28-key numeric	35-Key Alpha Numeric-Functio n key pad and 6 Side key (Optional) 28- Key, 53-Key	28-Key Numeric, 38/41-Key Numeric/Functio n keypads, 50- key/52-Key Alphanumeric keypads,	Numeric (29 keys)/ Function Numeric (38 keys) with backlight	Choice of one keypad	Choice of seven keypads Field-replaceable	Choice of two keypads
Heated Scanner Exit Window	Yes Ensures clear scanning in low temperatures with robust condensation protection	No	No	No	No	No	No	Yes	No	UL20F has Scanning window heater, LCD Heater	No	No	Yes only cold version	Yes	No



# **FEATURES**

Features	MEFERI ME74	POINT MOBILE PM351	POINT MOBILE PM451	POINT MOBILE PM560	Newland N7 (-V3)	Honeywell CK65	Zebra MC33ax	UROVO RT40	Datalogic SKORPIO X5	M3 Mobile UL20W/UL20X/ UL20F	CipherLab RK95	Unitech HT730	iDATA K8	Zebra MC9300	Honeywell CN80/CK8x
Power															
Battery	Freezer. 5200mAh Optional: 6000mAh EnergyBooster+tech enables 20 hours of use without charging, tested with scan button presses every 3 seconds, screen on, and constant wireless connection.	4800mAh	Standard: 5700mAh Optional: 4000mAh	6300mAh	5100mAh	7000mAh	7000mAh	5200mAh	Standard: 3.7 V; Rated 3460mAh typical 3500mAh: standard on all standard on all standard rodels 6200mAh (22.1 Watt hours); standard on all Pistol Grip models	6700mAh	Standard: 3000/6000mAh Cold Storage: 5500mAh	6700mAh	6700mAh	Standard: 7000mAh Freezer: 5000mAh	5800mAh
Battery Swap	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No
Fast Charging	Yes Supports QC 3.0, fully charges in 4 hours.	No	No	Yes	No	No	No	Yes	No	No	No	No	Yes	Yes	No
Data Capture															
Scan Engine Options	Support Zebra SE4710/SE4750SR/SE485 O, Honeywell HS77EX30/N6803FR, Newland EM6000, MEFERI SE5070 (Long Range Imager: SE4850/EX30/N6803FR/ EM6000)	SE965 SE4100 or SE4710	SE965/N6703/EX 30	SE4750/N6703/ N6803	Newland 2D SR, 2D MR	Honeywell N6703/6803FR/E X20	SE4770/ SE4850 ERI	Zebra SE4750 SR/Zebra SE4750 MR/ Honeywell EX30	1D Imager 2D Imager Standard Range (supports 1b / 2D codes) 2D Imager Mid- Range: White LED Illumination 2D Imager Extra Long Range (XLR)	SE4850	Zebra SE4750SR, SE4750MR	N/A	Zebra SE4850	1D SE965 1D/2D SE4750 (SR) 1D/2D SE4750DP with Diffuser (DPM) SE4850 ER - from 3 in to 70 ft	1D/2D N6603ER 1D/2D EX20 near/far imager
Camera	Front: 8MP Rear: 13MP	8MP with LED flash (optional)	Rear: 13MP	No	Rear: 13MP	Rear: 13MP	Rear: 13MP	Rear: 13MP	Rear Camera: 13MP; *Not available on XLR version	Rear: 16MP	Rear: 13MP (optional)	Rear: 13MP	Front: 5MP Rear: 13MP	Front: 5MP Rear: 13MP (camera not available on Freezer model)	Rear: 13MP
Wireless Conne	ctivity														
WLAN	Wi-Fi 6/6E 802.11a/b/g/n/ac Wave 182 (160MHz)/d/e/h/i/k/r/v/w/ ax, 802.11r, OKC, PMKID caching, IPv4, IPv6; 2 x 2 MU-MIMO	IEEE 802.11 a/b/g/n/ac/ax/re ady)/d/h/i/k/r/v, 1 x 1 MU-MIMO	IEEE 802.11a/b/g/n/ac/ d/h/i/k/r/v, IPv4, IPv6; 2 x 2 MU-MIMO	IEEE 802.11 a/b/g/n/ac/ax/d/ h/i/k/t/v, 2 x 2 MU-MIMO; Wi-Fi 6	802.11 a/b/g/n/ac, compatible with 11 d/h/i/k/r/v/w	IEEE 802.11 a/b/g/n/ac; Wi-Fi certified 2 x 2 MIMO support	IEEE 802.11 a/b/g/n/ac/d/h/i/ r/k/v1/w/ax/mc1; IPv4, IPv6, 2 x 2 MU-MIMO	802.11 a/b/g/n/ac/d/e/h ///k/r/v/w 2.4GHz/ 5GHz; Wi-Fi 6(802.11ax); 2 x 2 MU-MIMO	IEEE 802.11 a/b/g/n/ac and 802.11 d/e/h/i/k/r/v/w/ mc; IPv4, IPv6, 2 x 2 MU-MIMO	IEEE 802.11 a/b/g/n/ac 2.4 &5GHz	IEEE 802.11 a/b/g/n/ac/e/d/h /i/r/k/v/w, IPv4, IPv6, 2 x 2 MU- MIMO	IEEE 802.11a/b/g/n/d/ h/i/k/r/v/ac/ax, 802.11ac Wave 2; 2 X 2 MU-MIMO	802.11a/b/g/n/r/a c (2.4G + 5G dual-band Wi-Fi)	802.11a/b/g/n/ac /d/h/i/r/k/w; IPv4, IPv6, 2 x 2 MU-MIMO	802.11a/b/g/n/ac /d/e/h/i/k/r/w; 2 x 2 MIMO
Locationing	GPS, A-GPS, GLONASS, Galileo, and Beidou	GPS, A-GPS, GLONASS, Galileo, and Beidou	GPS, GLONASS, Galileo and Beidou	No	Yes GPS (A- GPS)/GLONASS or GPS (A- GPS)/Galileo	GPS, A-GPS, GLONASS, Galileo, Beidou	N/A	GPS, BeiDou, GLONASS, Galileo	Only WLAN indoor localization	A-GPS, GLONASS, Beidou, Galileo	No	GPS, GLONASS, Galileo, BeiDou	Standard: GPS/AGPS/Beido u/Galileo/GLONA SS/QZSS Cold version: GPS only	No	GPS, GLONASS, Galileo, and Beidou
BlueTooth	BT 5.2 BLE	Integrated Bluetooth Class I, Ver. 5.1 BLE support	BT 5.0 BLE	BT 5.0 BLE	BT 4.2 LE	BT 5.0 BLE	BT 5.1 BLE	BT 5.0 BLE	BT 5.0 BLE	BT 4.1 LE	BT 5.0 BLE	BT 5.1 BLE	BT 5.0 BLE	BT 5.0 BLE	BT 5.0 BLE
NFC	Yes (ISO 14443 Type A and B; FeliCa and ISO 15693 cards; Card Emulation via Host; Reader mode,Card Emulation and P2P mode)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes (optional)	Yes

### ME74 MOBILE COMPUTER



# **FEATURES**

Features	MEFERI ME74	POINT MOBILE PM351	POINT MOBILE PM451	POINT MOBILE PM560	Newland N7 (-V3)	Honeywell CK65	Zebra MC33ax	UROVO RT40	Datalogic SKORPIO X5	M3 Mobile UL20W/UL20X/ UL20F	CipherLab RK95	Unitech HT730	iDATA K8	Zebra MC9300	Honeywell CN80/CK8x
Environmental															
Sealing	IP68	IP65	IP65	IP65	IP65	IP65	IP64	IP68	IP65	IP67	IP65	IP65	IP68	IP65	IP65
Freezer Operation	Yes® (Freezer model)	No	Yes (Cold storage option)	No	No	Yes	No	Yes	No	No	Yes	No	No	Yes (Freezer model)	Yes (Freezer model)
Operating Temperature	-30°C to 60°C -22°F to 140°F	-20°C to +50°C -4°F to 122°F	-20°C to 60°C -4°F to 140°F	-20°C to 60°C -4°F to 140°F	-20 to 50 °C -4 to 122 °F	-20 to 50 °C -4 to 122 °F	-20 to 50 °C -4 to 122 °F	-30°C to 50°C -22°F to 122°F	-20°C to +50°C -4°F to 122°F	-20 ℃ to 60 ℃ -4 °F to 140 °F	Standard: -20°C to 50°C -4°F to 122°F Cold Storage: -30°C to 50°C -22°F to 122°F	-20°C to +50°C -4°F to 122°F	Standard: -20°C - 60°C -4°F to 140°F Cold version: -30°C - 50°C -22°F to 122°F	-20°C to +50°C -4°F to 122°F	-20°C to 50°C -4°F to 122°F
Vibrate mode/haptic feedback	Yes (Standard, 10000 rpm Min)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes (optional)	No
Audio and voice	2W Speaker, Dual denoise microphone, PTT voice (PTT Express pre-loaded and prelicensed), BT headsets	2 x dual color LEDs for Power and warning indication, vibration, beep	Built-in microphone and speaker	Microphone (front), built-in speaker (back)	No	Speaker, microphone support with noise cancellation. PTT support and Bluetooth wireless headset support	PTT Express and Workforce Connect PTT Pro/Built-in speaker and microphone	Earpiece, speaker, microphone Support PTT (Push-to-Talk), speaker loudness over 100dB at 0 cm	Wideband Speech (HD Audio) supported on Android	N/A	PTT voice ; Speaker, Microphones with noise reduction and echo cancellation, Bluetooth® headset	2W output ,105 dB at 10cm, Dual-Microphone, support noise cancellation	Built-in dual microphone ( noise-canceling microphone)	Speaker, microphone, PTT voice, BT headsets	Speaker, dual microphone with noise cancellation, PTT support, BT headsets

① Heated Scanner Exit Window: Ensures clear scanning in low temperatures with robust condensation protection.
Freezer-Rated Battery: A specialized \$200mAh battery, engineered for peak cold-chain performance.
Intelligent Temperature Detection: Advanced sensors for optimal regulation of device and LCD temperatures.
Condensation-Free Operation: Heating elements integrated to safeguard against moisture, ensuring a clear screen and scanner visibility.
Motherboard Protection Technology: Advanced defense against condensation during frequent temperature transitions, preserving motherboard integrity.



# **BENEFITS**

	At-a-Glance Attack Strategy: ME74 Advantages														
Features	MEFERI ME74	POINT MOBILE PM351	POINT MOBILE PM451	POINT MOBILE PM560	Newland N7 (-V3)	Honeywell CK65	Zebra MC33ax	UROVO RT40	Datalogic SKORPIO X5	M3 Mobile UL20W/UL20X/ UL20F	CipherLab RK95	Unitech HT730	iDATA K8	Zebra MC9300	Honeywell CN80/CK8x
Use these mini fight-sheets for a quick at-a-glance view of the advantages of ME74 over the primary competitive devices.	Only device in its class to offer:  A 4.3 in display, provides more real estate for apps, workers can view more business data on a single screen.  The fastest processor and most memory.  Latest Android OS.  Smallest and lightest, light enough to be comfortably carried all shift long.  A high resolution camera option.  The fastest Wi-Fi 6/6E /Bluetooth 5.2 protocol support.  Support SIM (5G) options.  Strong vibrate feedback for standard device.  Dual denoise microphones.  Supports multiple positioning systems.	Older OS Android 11, only uggradeable to Android 14. Inferior processor performance. Lower Memory Capacity. Smaller Display. No SIM support, limiting floxibility for SIM management and international roaming. Only two keypads options. No Heated Scanner Exit Window. Smaller bttery. No fast charging. Limited scanning and data capture capabilities, for any for a capabilities, for any for a capabilities, for any for a capabilities. Scanning sca	Older OS Android 9 or 11, only uggradeable to Android 14, Inferior processor performance. Only 1 SIM slot, limiting flexibility for SIM management and international roaming. No Heated Scanner Exit Window. Smaller battery. No fast charging. Limited scanning and data capture capabilities, fewer scanning engine options. Not support Wi-Fi 6/6E. Only one top camera. Lower Bluetooth speed. Lower sealing standard. Narrower operating temperature.	Older OS Android 9 or 11, only uggradeable to Android 14, Inferior processor performance. Heavier. No SIM support, inferior flexibility for SIM management and international roaming. Only one keypad option. No Heated Scanner Exit Window. No fast charging. Fewer scanning engine options. No camera support. Lower Bluetooth speed. Lower sealing standard. No freezer operation. Narrower operating temperature.	Older OS Android 10. Inferior processor performance. Lower Memory Capacity. Smaller Display. No Heated Scanner Exit Window. Smaller battery. Fewer scanning engine options. No front camera. Not support Wi-Fi 6/6E. Lower Bluetooth speed. Lower sealing standard. No freezer operation. Narrower operating temperature.	Older OS Android 9, only upgradeable to Android 13. Inferior processor performance. Lower Memory Capacity. Smaller Display. No SIM support, limiting flexibility for SIM management and international roaming. No Heated Scanner Exit Window. Not support fast charging. No hot swap battery. Limited scanning and data capture capabilities, fewer scanning engine options. No front camera. No front camera. Not support Wi-Fi 6/6E. Lower Bluetooth speed. Lower sealing standard. Narrower operating temperature.	Older OS Android 12, only uggradeable to Android 14. Inferior processor performance. Lower Memory Capacity. Smaller Display. No SIM support, limiting floxibility for SIM support and international roaming. No Heated Scanner Exit Window. Not support fast charging. Limited scanning and data capture capabilities, fewer capabilities, fewer some capacity. No front camera. No GPS support. Lower Bluetooth speed. No Freezer Operation. Lower sealing standard. Narrower operating temperature.	Older OS Android 10. Inferior processor performance. Lower Memory Capacity. Smaller Display. Only one keypad option. No Heated Scanner Exit Window. Limited scanning and data capture capabilities, fewer scanning engine options. No front camera. Lower Bluetooth speed. Narrower operating temperature.	Older OS Android 10, only upgradeable to Android 12. Inferior processor performance. Lower standard memory capacity. No SIM support, limiting flexibility for SIM management and international roaming. No Heated Scanner Exit Window. Smaller standard battery. No fast charging. No font camera. No camera on the XLR version. Not support Wi-Fi 6/6E. No GPS, only WLAN for indoor localization. Lower Bluetooth speed. Lower sealing standard. No freezer operation. Narrower operating temperature.	Older OS Android 8.1. Inferior processor performance. Lower memory capacity. Heavier. Only two keypad options. No Heasted Scanner Exit Window. Only UL20F has a scanning window heater. No fast charging. Limited scanning and data capture capabilities, for some capabilities, for some capabilities. No frost camera. No front camera. No front camera. No front camera. No support Wi-Fi 6/6E. Lower Bluetooth speed. No Freezer Operation. Narrower operating temperature.	Older OS Android 9, only upgradeable to Android 12. Inferior processor performance. No SIM support, limiting flexibility for SIM management and international roaming. No Heated Scanner Exit Window. No fest charging. Limited scanning and data capture capabilities, fewer scanning engine options. No frost Camera, the rear camera is optional. No trough the service of	Older OS Android 10. Inferior processor performance. Smaller display. No eSIM support, limiting flexibility for SIM support, limited scanner Exit Window. No fast charging. Limited scanning and data capture capabilities. Lower Bluetooth speed. Lower sealing standard. No Freezer Operation. Narrower operating temperature.	Older OS Android 12. Inferior processor performance. Smaller display. GSM version: no eSIM support. Cold version: no SIM slot support. Cold version: no SIM slot support. Only one keypad option. No battery swap. No fast charging. Limited scanning and data capture capabilities, fewer scanning endibles. Only 5MP front camera. Not support Wi-Fi e/6E. The cold version has GPS only. Lower Bluetooth speed. No Freezer Operation. Narower experating temperature.	Older OS Android 8.1, only uggradeable to Android 14. Inferior processor performance. Lower memory capacity. No SIM support, limiting flexibility for SIM management and international roaming. Smaller Freezer battery. Limited scanning and data capture capabilities, fewer scanning engine. Only 5MP front camera, camera not available on Freezer model. Not support Wi-Fi 6/6E. Not support GPS. NFC connection is optional. Lower Bluetooth speed. Lower sealing standard. No Freezer Operation. Narrower Operation. Narrower operating temperature.	Less experience in Android.  Older Android.  Older Android. OS (released with Nougat) and shorter security lifesycle for Android.  Inferior processor performance.  Lower memony capacity.  Smaller display. Only one SIM slot, limiting floxibility for SIM slot, limiting floxibility for SIM management and international roaming. Keypads: only two keypad options, not optimized for gloves; not field replaceable. Heavier. No Heated Scanner Exit Window. Smaller standard battery. No battery swap. No fast charging. No front camera. Not support Wi-Fi 6/6E. Lower Bluetooth speed. Lower sealing standard. Narrower operating temperature.



# **ACCESSORIES**

MEERI ME74	POINT MOBILE PM351	POINT MOBILE PM451	POINT MOBILE PM560	Newland N7 (-V3)	Honeywell CK65	Zebra MC33ax	UROVO RT40	Datalogic SKORPIO X5	M3 Mobile UL20W/UL20X/ UL20F	CipherLab RK95	Unitech HT730	iDATA K8	Zebra MC9300	Honeywell CN80/CK8x
Battery	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hand Strap	1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
USB type-C Cable	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Adapter	/	I	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Single Slot Cradle	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1	Yes	Yes	Yes	Yes	Yes
5-Slot Cradle	1	I	/	I	1	Yes	Yes	1	1	Yes	/	I	I	/
4-Slot Battery Charger	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1	Yes	Yes	Yes	Yes	/
8-Slot Battery Charger	1	I	/	I	1	/	I	1	1	1	/	I	I	/
20-Slot Battery Charger	1	1	/	1	/	Yes	I	/	I	Yes	1	1	1	/
Low-temperature Battery	1	I	/	I	Yes	1	I	1	1	1	1	I	Yes	/
Pistol Grip	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pistol Grip Hand Strap	/	I	/	I	/	Yes	I	Yes	Yes	1	/	I	Yes	Yes
Shoulder Bag	1	I	/	I	Yes	Yes	I	Yes	1	1	/	I	Yes	/
Holster (for Gun)	1	I	/	I	Yes	Yes	I	Yes	1	Yes	1	I	Yes	Yes
Screen Protector (Glass)	/	I	/	I	Yes	Yes	1	1	1	1	Yes	Yes	Yes	1
LCD Protection Film	Yes	Yes	Yes	I	Yes	/	I	Yes	1	1	1	I	I	Yes



# Unleash Unmatched **Rugged Performance** with ME74: The **Ultimate Enterprise** Solution

Embark on a journey with MEFERI's ME74, the zenith of ultra-rugged technology for enterprise needs. A powerful Qualcomm heart synchronizes with Android 13, enveloped by the safety of Android Enterprise Recommended (AER), ME74 adheres to Google's top enterprise standards, promising unyielding security. Its 4.3-inch display responds brilliantly, becoming a beacon of clarity. Dive into data realms with elite scanning capabilities, from Zebra and Honeywell, ensuring impeccable barcode readings.

Advanced Wi-Fi 6/6E promises consistent connectivity, while its rugged design withstands the most demanding conditions. Embrace temperatures as low as -30°C and benefit from innovative charging with the 6 Pogo pin connectors. The dual cameras offer varied data collection while the Hot Swap Battery ensures continuous operation. Discover the epitome of rugged tech with ME74.

# Superior Heating Control with MeHeating

### MeHeating Software: Industry-Leading Heating Control

MeHeating is an exclusive software application developed for MEFERI's ME74, specifically designed to control and adjust heating settings on industrial terminals and data collection tablets. This software is a game-changer in environments where maintaining optimal device performance in low temperatures is critical.

### **Key Features**

- · Automatic Heating Start: Automatically initiates heating when ambient temperatures drop, ensuring uninterrupted device operation.
- · Constant Parameter Control: Provides real-time monitoring and adjustment of heating parameters to maintain optimal device performance.
- · Precise Adjustment: Allows precise control over heating settings, tailored to specific operational needs.
- Energy Management: Monitors and controls the device's battery energy expenditure, enhancing energy efficiency.
- · User-Friendly Interface: Features a simple and intuitive graphical interface, making it easy to manage heating settings.

### Advantages:

### 1. Simple Graphical Interface:

- · Easy to use, ensuring quick and safe adjustment of heating settings.
- · Minimal training required for end users.

#### 2. Included with MEFERI Equipment:

- Provided free with the purchase of MEFERI mobile computers.
- · Available for installation from the App Store

#### 3. Data Loss Protection and Energy Saving:

- · Protects data integrity by maintaining optimal operating temperatures.
- · Enhances battery life through efficient energy management.

### 4. Independent Module Heating Adjustment:

- · Allows for independent control of heating for different device modules.
- · Ensures specific components are heated as needed, improving overall device performance.

### Competitive Edge:

- Exclusive Feature: ME74's MeHeating capability is a rare feature in the market, providing a distinct advantage over most competitors.
- · Market Differentiation: While only a few competing products offer similar functionality, ME74 stands out with its comprehensive heating control and user-friendly interface.

#### **Customer Benefits:**

- · Operational Efficiency: Ensures devices remain functional in extreme temperatures, reducing downtime.
- Enhanced Productivity: Keeps devices running smoothly, allowing continuous operation in harsh environments
- · Cost Savings: Reduces the risk of device failures due to temperature extremes, leading to lower maintenance and replacement costs.
- · Safety and Reliability: Provides peace of mind with reliable performance and data protection.



### **MEFERI Software Suite**



MeOmniSoft

OmniSoftware Suite - A comprehensive set of industry-specific utilities and applications, designed to unlock maximum productivity and efficiency on all MEFERI devices. Customizable, scalable, and powerful.



MeOmniApps

Omnilndustry Suite - Unleashing the power of industry-specific mobile apps, revolutionizing operations across sectors. Experience the transformative and customizable Omnilndustry Suite, of tailored applications for various industries, designed to streamline your operations.



EMM Shadowalk by MEFERI - your trusted solution for corporate mobile device management and enterprise mobility. Combining Mobile Device Management (MDM) and Enterprise Mobility Management (EMM), Shadowalk offers advanced remote control, streamlined administration, enhanced diagnostics, and comprehensive data security. Tailored for businesses seeking centralized, efficient, and secure mobility management. Perfect for large enterprises demanding scalability and compliance.

Dive deeper into its potential on our website: www.meferi.com/en/us/products/software

#### Partners Software Compatibility

#### **General Certifications**

GMS & AER

Android Enterprise Recommended (Certified) with Google Mobile Services (GMS) - Enterprise API and actual updates available. Access to Android security updates for 90 days from the date of their release by Google for at least five years.



















### MEFERI MeCare

Premium service program offering extended coverage for repairs, accidental damage, and technical support. Keep your MEFERI devices performing flawlessly beyond the standard warranty.









Address: Unit 3-2, Building 4, No. 2555, Section 2, Huanglong Avenue, Shuangliu District, Chengdu 610000, Sichuan, P.R. China